

9.2.1. Списак координата тачака експропријације у Г.К систему К.о Својдрус

БР.тач.	Y	X	БР.тач.	Y	X
1	7390157.82	4878094.88	51	7389858.36	4876642.83
2	7390157.62	4878094.08	52	7389837.39	4876678.93
3	7390120.51	4878091.05	53	7389816.43	4876715.04
4	7390098.23	4878085.10	54	7389796.36	4876755.31
5	7390088.27	4878084.21	55	7389776.36	4876795.62
6	7390076.40	4878084.04	56	7389756.47	4876836.66
7	7390030.70	4878083.39	57	7389737.65	4876881.25
8	7389993.79	4878084.33	58	7389732.51	4876909.37
9	7389815.38	4878151.67	59	7389737.00	4876912.43
10	7389796.16	4878141.71	60	7389730.54	4876925.76
11	7389784.81	4878130.07	61	7389727.33	4876949.58
12	7389772.30	4878117.24	62	7389722.07	4877046.63
13	7389760.98	4878097.52	63	7389722.14	4877069.32
14	7389741.77	4878058.98	64	7389720.86	4877076.66
15	7389735.31	4878029.57	65	7389721.83	4877100.08
16	7389731.59	4878005.83	66	7389721.48	4877120.27
17	7389965.83	4876469.55	67	7389721.05	4877152.16
18	7389969.56	4876467.17	68	7389721.96	4877189.59
19	7389972.78	4876458.55	69	7389723.57	4877215.55
20	7389976.17	4876447.18	70	7389725.19	4877241.52
21	7389986.62	4876429.71	71	7389726.61	4877251.29
22	7389998.56	4876407.60	72	7389727.91	4877260.71
23	7390017.56	4876375.55	73	7389728.55	4877264.64
24	7390021.75	4876374.84	74	7389729.53	4877271.43
25	7390022.80	4876364.51	75	7389732.86	4877295.17
26	7390029.65	4876353.89	76	7389735.55	4877314.37
27	7390031.06	4876349.98	77	7389738.52	4877334.34
28	7390032.64	4876345.60	78	7389740.95	4877350.67
29	7390032.53	4876333.27	79	7389742.09	4877363.20
30	7390041.72	4876307.99	80	7389744.81	4877393.13
31	7390043.94	4876300.74	81	7389746.16	4877407.86
32	7390097.53	4876102.49	82	7389746.64	4877422.10
33	7390080.34	4876100.92	83	7389747.57	4877449.37
34	7390078.32	4876118.20	84	7389747.85	4877462.66
35	7390091.45	4876123.22	85	7389748.11	4877475.18
36	7390089.71	4876153.49	86	7389748.47	4877517.03
37	7390076.58	4876148.74	87	7389748.35	4877519.59
38	7390070.83	4876147.25	88	7389747.50	4877537.26
39	7390061.32	4876189.18	89	7389746.41	4877560.27
40	7390052.44	4876224.08	90	7389745.04	4877588.26
41	7390030.93	4876255.75	91	7389744.35	4877600.95
42	7390019.56	4876296.15	92	7389743.50	4877616.67
43	7390010.34	4876331.36	93	7389743.00	4877623.78
44	7389991.38	4876372.17	94	7389742.27	4877632.20
45	7389969.61	4876411.55	95	7389741.41	4877642.20
46	7389946.71	4876450.29	96	7389739.61	4877663.07
47	7389929.84	4876483.22	97	7389738.77	4877673.14
48	7389912.72	4876516.65	98	7389737.92	4877683.33
49	7389894.92	4876557.98	99	7389737.07	4877693.59
50	7389877.11	4876599.31	100	7389736.23	4877703.76

[illegible]

9.2.2. Списак координата тачака експропријације у Г.К систему К.о Црвица

БР.тач.	Y	X	БР.тач.	Y	X
1	7390107.11	4876089.66	51	7389736.81	4875230.40
2	7390105.44	4876077.88	52	7389724.34	4875196.24
3	7390101.38	4876070.31	53	7389722.68	4875191.70
4	7390097.56	4876055.42	54	7389718.27	4875188.84
5	7390099.38	4876033.68	55	7389703.86	4875175.30
6	7390105.32	4875997.13	56	7389702.89	4875176.09
7	7390102.21	4875963.66	57	7389601.95	4875121.23
8	7390099.11	4875930.19	58	7389603.32	4875118.82
9	7390073.96	4875844.09	59	7389599.83	4875116.78
10	7390075.13	4875843.66	60	7389597.93	4875119.92
11	7390074.97	4875835.09	61	7389571.51	4875111.67
12	7390074.93	4875833.14	62	7389575.95	4875103.74
13	7390064.76	4875809.72	63	7389570.17	4875100.70
14	7390054.59	4875786.30	64	7389563.68	4875108.29
15	7390048.97	4875767.14	65	7389548.62	4875103.29
16	7390059.37	4875760.98	66	7389536.03	4875098.31
17	7390056.00	4875754.58	67	7389524.02	4875094.18
18	7390047.24	4875740.54	68	7389512.26	4875090.82
19	7390037.51	4875731.07	69	7389500.81	4875087.54
20	7390028.20	4875708.14	70	7389480.17	4875082.88
21	7390066.70	4875695.30	71	7389459.44	4875078.76
22	7390065.91	4875692.93	72	7389449.74	4875076.91
23	7390049.62	4875698.36	73	7389439.85	4875075.02
24	7390027.26	4875705.82	74	7389431.00	4875073.33
25	7390027.07	4875705.41	75	7389421.47	4875071.88
26	7390017.84	4875683.80	76	7389414.51	4875070.94
27	7390015.42	4875678.27	77	7389404.58	4875069.64
28	7389925.21	4875476.24	78	7389395.05	4875067.83
29	7389914.10	4875460.56	79	7389386.31	4875065.85
30	7389905.54	4875446.38	80	7389324.84	4875054.48
31	7389897.71	4875435.57	81	7389305.98	4875056.44
32	7389885.25	4875418.37	82	7389296.58	4875057.21
33	7389878.21	4875409.92	83	7389279.04	4875057.93
34	7389877.79	4875409.41	84	7389262.30	4875058.35
35	7389864.64	4875389.87	85	7389242.19	4875057.63
36	7389857.56	4875386.92	86	7389147.94	4875044.32
37	7389846.38	4875380.12	87	7389120.44	4875041.82
38	7389836.52	4875373.47	88	7389107.40	4875040.63
39	7389814.09	4875358.37	89	7389094.24	4875038.09
40	7389803.19	4875349.59	90	7389076.81	4875034.73
41	7389790.96	4875339.09	91	7389048.49	4875028.62
42	7389786.36	4875334.61	92	7389035.01	4875027.46
43	7389777.31	4875321.51	93	7389022.04	4875026.30
44	7389770.41	4875315.15	94	7388940.72	4874999.39
45	7389769.61	4875316.12	95	7388923.39	4874999.06
46	7389757.89	4875301.17	96	7388681.60	4874971.18
47	7389758.98	4875300.55	97	7388661.30	4874966.39
48	7389752.59	4875288.93	98	7388641.26	4874961.66
49	7389743.14	4875261.52	99	7388631.42	4874958.89
50	7389739.59	4875242.82	100	7388621.69	4874956.15

Списак координата тачака експропријације у Г.К систему К.о Црвица

БР.тач.	Y	X
101	7388607.44	4874952.13
102	7388594.86	4874948.50
103	7388583.83	4874945.66
104	7388572.91	4874942.67
105	7388562.05	4874939.72
106	7388528.52	4874930.66
107	7388498.02	4874921.58
108	7388465.83	4874912.63
109	7388412.81	4874895.65
110	7388404.26	4874892.22
111	7388396.76	4874889.12
112	7388360.36	4874874.45
113	7388339.95	4874866.82
114	7388300.62	4874850.98
115	7388277.02	4874841.14
116	7388251.37	4874831.81
117	7388228.30	4874822.49
118	7388220.28	4874817.90
119	7388216.01	4874815.45
120	7388204.81	4874811.15
121	7388199.08	4874810.19
122	7388167.67	4874798.58
123	7388144.46	4874790.65
124	7388116.53	4874781.51
125	7388088.61	4874772.38
126	7388085.53	4874771.37
127	7388076.62	4874768.46
128	7388073.70	4874767.50
129	7388042.68	4874754.96
130	7388014.36	4874741.85
131	7387988.13	4874728.29
132	7387985.85	4874727.05
133	7387964.81	4874713.12
134	7387928.46	4874688.41
135	7387908.44	4874671.01
136	7387887.27	4874653.09
137	7387866.10	4874635.18
138	7387620.82	4874339.75
139	7387613.69	4874323.72
140	7387610.48	4874321.39
141	7387604.12	4874316.79
142	7387589.17	4874304.03
143	7387569.97	4874278.83
144	7387546.63	4874253.75
145	7387514.09	4874220.52
146	7387505.31	4874208.46
147	7387495.73	4874197.82
148	7387492.82	4874194.58
149	7387484.82	4874186.40
150	7387467.00	4874169.89

БР.тач.	Y	X
151	7387457.10	4874164.03
152	7387434.44	4874150.05
153	7387411.77	4874136.08
154	7387391.64	4874124.33
155	7387366.65	4874110.54
156	7387350.64	4874103.16
157	7387331.42	4874093.97
158	7387317.60	4874087.79
159	7387305.57	4874082.41
160	7387285.34	4874077.44
161	7387274.25	4874074.72
162	7387264.02	4874072.21
163	7387252.76	4874070.20
164	7387242.05	4874068.07
165	7387230.22	4874065.71
166	7387228.09	4874065.23
167	7387202.38	4874059.49
168	7387176.67	4874053.75
169	7387152.13	4874045.90
170	7387143.55	4874043.73
171	7387133.44	4874044.08
172	7387130.15	4874043.39
173	7387119.70	4874041.18
174	7387116.62	4874040.43
175	7387113.18	4874039.59
176	7387107.82	4874037.79
177	7387095.64	4874033.66
178	7387082.30	4874030.45
179	7387061.33	4874026.52
180	7387026.61	4874017.11
181	7386988.85	4874008.55
182	7386984.37	4874005.57
183	7386979.48	4874004.50
184	7386975.79	4874006.66
185	7386960.66	4874006.69
186	7386928.91	4874008.84
187	7386907.26	4874009.32
188	7386875.25	4874008.15
189	7386873.71	4874007.79
190	7386868.95	4874006.68
191	7386867.74	4874002.09
192	7386860.33	4873997.15
193	7386853.18	4874004.65
194	7386848.62	4874008.02
195	7386842.54	4874012.50
196	7386837.11	4874013.18
197	7386823.09	4874013.66
198	7386808.46	4874014.17
199	7386792.31	4874015.25
200	7386774.96	4874015.92

Списак координата тачака експропријације у Г.К систему К.о Црвица

БР.тач.	Y	X
201	7386751.68	4874016.33
202	7386741.41	4874015.32
203	7386730.43	4874013.03
204	7386712.73	4874009.06
205	7386693.98	4874003.75
206	7386657.33	4873994.50
207	7386619.62	4873988.19
208	7386321.84	4873921.10
209	7386307.68	4873917.68
210	7386292.99	4873914.61
211	7386278.75	4873911.64
212	7386263.25	4873908.40
213	7386248.42	4873905.83
214	7386222.23	4873901.04
215	7386167.42	4873890.55
216	7386151.49	4873886.84
217	7386124.99	4873880.93
218	7386098.48	4873875.02
219	7386039.37	4873862.30
220	7386022.51	4873857.23
221	7386010.29	4873855.04
222	7386001.78	4873852.64
223	7385994.17	4873850.50
224	7385986.29	4873848.28
225	7385973.54	4873844.69
226	7385971.91	4873844.09
227	7385959.91	4873839.67
228	7385946.07	4873834.58
229	7385934.85	4873830.77
230	7385923.00	4873826.39
231	7385915.28	4873823.24
232	7385908.91	4873817.91
233	7385898.59	4873813.28
234	7385886.91	4873809.18
235	7385878.62	4873804.44
236	7385808.46	4873751.78
237	7385785.21	4873734.45
238	7385780.09	4873729.94
239	7385777.38	4873727.81
240	7385760.26	4873714.32
241	7385734.42	4873693.85
242	7385715.95	4873679.21
243	7385697.34	4873666.93
244	7385687.22	4873658.04
245	7385674.18	4873648.30
246	7385659.93	4873637.66
247	7385636.25	4873619.98
248	7385622.20	4873609.29
249	7385611.73	4873601.33
250	7385601.62	4873593.20

БР.тач.	Y	X
251	7385599.10	4873591.18
252	7385564.77	4873563.98
253	7385530.55	4873536.47
254	7385497.57	4873506.80
255	7385482.68	4873493.32
256	7385468.93	4873478.30
257	7385456.22	4873458.22
258	7385449.66	4873445.54
259	7385441.94	4873428.62
260	7385433.40	4873408.59
261	7385421.89	4873382.42
262	7385411.10	4873356.06
263	7385408.07	4873346.68
264	7385406.76	4873335.68
265	7385406.35	4873321.62
266	7385405.52	4873305.28
267	7385405.87	4873296.33
268	7385406.51	4873287.80
269	7385408.91	4873259.11
270	7385409.47	4873254.14
271	7385414.14	4873231.62
272	7385415.53	4873227.17
273	7385421.05	4873209.75
274	7385428.68	4873188.01
275	7385436.28	4873166.37
276	7385444.53	4873147.05
277	7385445.94	4873143.80
278	7385450.45	4873133.52
279	7385467.15	4873100.99
280	7385473.45	4873089.10
281	7385482.83	4873069.06
282	7385493.54	4873046.21
283	7385501.68	4873025.71
284	7385506.83	4873013.73
285	7385511.30	4873003.49
286	7385520.60	4872980.84
287	7385530.68	4872957.76
288	7385540.30	4872935.11
289	7385544.85	4872924.12
290	7385549.73	4872913.27
291	7385556.26	4872899.43
292	7385574.35	4872857.57
293	7385590.77	4872818.70
294	7385602.06	4872787.54
295	7385614.00	4872760.06
296	7385618.52	4872753.42
297	7385622.70	4872740.80
298	7385624.85	4872724.95
299	7385629.15	4872708.37
300	7385632.66	4872703.67

9.2.3. Списак координата тачака експропријације у Г.К систему К.о Вишесава

1`1	Y	X
1	7385637.66	4872670.71
2	7385640.03	4872672.10
3	7385640.19	4872668.76
4	7385645.75	4872650.77
5	7385648.19	4872644.09
6	7385650.52	4872636.23
7	7385658.12	4872607.44
8	7385658.87	4872604.54
9	7385660.88	4872572.07
10	7385659.43	4872521.64
11	7385658.82	4872500.28
12	7385658.47	4872488.00
13	7385658.02	4872472.19
14	7385657.92	4872468.62
15	7385658.22	4872450.94
16	7385658.39	4872441.51
17	7385657.98	4872413.41
18	7385657.01	4872409.28
19	7385652.19	4872386.88
20	7385652.30	4872383.48
21	7385645.95	4872359.83
22	7385643.45	4872359.18
23	7385632.90	4872357.54
24	7385630.99	4872358.14
25	7385640.29	4872387.83
26	7385645.47	4872411.40
27	7385646.81	4872447.98
28	7385647.05	4872471.91
29	7385647.96	4872520.86
30	7385639.05	4872624.35
31	7385625.64	4872656.48
32	7385622.91	4872664.48
33	7385628.48	4872665.87